




CAMLOG®
SYSTEM




CONOLOG®
SYSTEM



LITERATURE OVERVIEW LITERATURÜBERSICHT

Status: March 2016



a perfect fit™

camlog

REVIEWS AND CONSENSUS

2015 – 2016

Kern JS, Kern T, Wolfart S, Heussen N.

A systematic review and meta-analysis of removable and fixed implant-supported prostheses in edentulous jaws: Post-loading implant loss. *Clin Oral Impl Res* 00,2015;1-22 doi: 10.1111/clr.12531

Sanz-Sánchez I, Sanz-Martín I, Figuero E, Sanz M.

Clinical efficacy of immediate implant loading protocols compared to conventional loading depending on the type of the restoration: A systematic review. *Clin Oral Impl Res* 2015;26:964-82

Schwarz F, Sanz-Martín I, Kern JS, Taylor T, Schaer A, Wolfart S, Sanz M.

Loading protocols and implant supported restorations proposed for the rehabilitation of partially and fully edentulous jaws. *Camlog Foundation Consensus Report. Clin Oral Implants Res* 2016 Jan 8. doi: 10.1111/clr.12736. [Epub ahead of print]

Strietzel FP, Neumann K, Hertel M.

Impact of platform switching on marginal peri-implant bone-level changes. A systematic review and meta-analysis. *Clin Oral Impl Res* 2015;26:342-58

2014 – 2013

Schwarz F.

Minimierung der krestalen Knochenresorption. Einfluss von Implantat-Abutment-Verbindung und Positionierung der Implantatschulter. *DFZ* 2014;6:42-5

Schwarz F, Alcoforado G, Nelson K, Schär A, Taylor T, Beuer F, Strietzel FP.

Impact of implant-abutment connection, positioning of the machined collar/microgap, and platform switching on crestal bone level changes. *Camlog Foundation Consensus Report. Clin Oral Impl Res* 2014; 25:1301-3

Schwarz F, Hegewald A, Becker J.

Impact of implant-abutment connection and positioning of the machined collar/microgap on crestal bone level changes: a systematic review. *Clin Oral Impl Res* 2014;25:417-25

PROSPECTIVE CLINICAL TRIALS

2015 – 2016

Duttenhoefer F, Nack C, Doll C, Ragusse JD, Hell B, Stricker A, Nelson D, Nahles S.

Long-term peri-implant bone level changes of non-vascularized fibula bone grafted edentulous patients. *Journal of Cranio-Maxillo-Facial Surgery* 2015;43:611-15

Moergel M, Rocha S, Messias A, Nicolau P, Guerra F, Wagner W.

Radiographic evaluation of conical tapered platform-switched implants in the posterior mandible: 1-year results of a two-center prospective study. *Clin Oral Impl Res* 00,2015,1-8 doi: 10.1111/clr.12644

Rocha S, Wagner W, Wiltfang J, Nicolau P, Moergel M, Messias A, Behrens E, Guerra F.

Effect of platform switching on crestal bone levels around implants in the posterior mandible: 3-years results from a multicenter randomized clinical trial. *J Clin Periodontol.* 2016 Feb 4. doi: 10.1111/jcpe.12522.

2014 – 2013

Beretta M, Poli PP, Maiorana C.

Accuracy of computer-aided template-guided oral implant placement: prospective clinical study. *J Periodontal Implant Sci* 2014;44:184-93

Guerra F, Wagner W, Wiltfang J, Rocha S, Moergel M, Behrens E, Nicolau P.

Platform switch versus platform match in the posterior mandible – 1-year results of a multicenter randomized clinical trial. *J Clin Periodontol* 2014;41:521-29

Krennmair S, Seemann R, Weinländer M, Krennmair G, Piehslinger E.

Immediately loaded distally cantilevered fixed mandibular prostheses supported by four implants placed in both in fresh extraction and healed sites: 2-year results from a prospective study. *Eur J Oral Implantol* 2014;7(2):173-84

Mirisola di Torresanto V, Milinkovic I, Torsello F, Cordaro L.

Computer-assisted flapless implant surgery in edentulous elderly patients: a 2-year follow-up. *Quintessence Int* 2014;45:419-29

Shakibaie-M B.

Microscope-controlled internal sinus floor elevation (MCI-SFE): a new technique to evaluate the sinus membrane during transcrestal lifting. *Int J Microdent* 2013;4(1):12-9

Shakibaie-M B.

Comparison of the effectiveness of two different bone substitute materials for socket preservation after tooth extraction: a controlled clinical study. *Int J Periodontics Restorative Dent* 2013;33:223-8

Stimmelmayer M, Güth JF, Erdelt K, Happe A, Schlee M, Beuer F.

Clinical study evaluating the discrepancy of two different impression techniques of four implants in an edentulous jaw. *Clin Oral Investig* 2013;17(8):1929-35

Wolfart S, Moll D, Hilgers RD, Wolfart M, Kern M.

Implant placement under existing removable dental prostheses and its effect on oral health-related quality of life. *Clin Oral Impl Res* 2013;12:1354-9

2012 – 2011

Beretta M, Barbaglio M, Panigalli A, Pivetti L, Maiorana C.

Healing abutment influence on peri-implant soft tissue healing. A randomized control trial. Poster 105, 20th Annual Scientific Meeting EAO Athens, October 12-15, 2011

Heberer S, Al-Chawaf B, Jablonski C, Nelson JJ, Lage H, Nelson K.

Healing of ungrafted and grafted extraction sockets after 12 weeks: a prospective clinical study. *Int J Oral Maxillofac Implants* 2011;26:385-92

Krennmair G, Seemann R, Fazekas A, Ewers R, Piehslinger E.

Patient preference and satisfaction with implant-supported mandibular overdentures retained with ball or locator attachments: a cross over clinical trial. *Int J Maxillofac Implants* 2012;27:1560-8

Krennmair G, Seemann R, Weinländer M, Piehslinger E.

Comparison of ball and telescopic crown attachments in implant-retained mandibular overdentures: a 5-year prospective study. *Int J Oral Maxillofac Implants* 2011;26:598-606

Krennmair G, Sütö D, Seemann R, Piehslinger E.

Removable four implant-supported mandibular overdentures rigidly retained with telescopic crowns or milled bars: a 3-year prospective study. *Clin Oral Impl Res* 2012;23:481-8

Özkan Y, Akoğlu B, Kulak-Özkan Y.

Maxillary sinus floor augmentation using bovine bone grafts with simultaneous implant placement: a 5-year prospective follow-up study. *Implant Dent* 2011;20:445-59

Schwarz F, John G, Mainusch S, Sahn N, Becker J.

Combined surgical therapy of peri-implantitis evaluating two methods of surface debridement and decontamination. A two-year clinical follow-up. *J Clin Periodontol* 2012;39:789-97

Schwarz F, Sahn N, Becker J.

Impact of the outcome of guided bone regeneration in dehiscence-type defects on the long-term stability of peri-implant health: clinical observations at 4 years. *Clin Oral Impl Res* 2012;23:191-6

Stimmelmayer M, Stangl M, Edelhoff D, Beuer F.

Clinical prospective study of a modified technique to extend the keratinized gingiva around implants in combination with ridge augmentation: one-year results. *Int J Oral Maxillofac Implants* 2011;26:1094-101

2010–2009

Becker J, Al-Nawas B, Klein MO, Schliephake H, Terheyden H, Schwarz F.

Use of a new cross-linked collagen membrane for the treatment of dehiscence-type defects at titanium implants: A prospective randomized controlled double-blinded clinical multicenter study. *Clin Oral Impl Res* 2009;20:742-9

Bürgers R, Gerlach T, Hahnel S, Schwarz F, Handel G, Gosau M. In vivo and in vitro biofilm formation on two different titanium implant surfaces. *Clin Oral Impl Res* 2010;21:156-64

Heberer S, Nelson K.

Clinical evaluation of a modified method of vestibuloplasty using an implant-retained splint. *J Oral Maxillofac Surg* 2009;67:624-9

Heberer S, Rühle B, Krekeler L, Schink T, Nelson JJ, Nelson K.

A prospective randomized split-mouth study comparing iliac onlay grafts in atrophied edentulous patients: covered with periosteum or a bioresorbable membrane. *Clin Oral Impl Res* 2009;20:319-26

Hu X, Lin Y, Metzmacher AR, Zhang Y.

Sinus membrane lift using a water balloon followed by bone grafting and implant placement: a 28-case report. *Int J Prosthodont* 2009;22:243-7

Shakibaie-M B.

Socket und Ridge Preservation aus dreidimensionaler Sicht. – Eine klinische Studie – Socket and ridge preservation from the three-dimensional perspective – a clinical study. *Z Zahnärztl Impl* 2009;25(4):369-77

Weinländer M, Piehslinger E, Krennmair G.

Removable implant-prosthetic rehabilitation of the edentulous mandible: five-year results of different prosthetic anchorage concepts. *Int J Oral Maxillofac* 2010;25:589-97

2008–2007

Karabuda C, Yaltirik M, Bayraktar M.

A clinical comparison of prosthetic complications of implant-supported overdentures with different attachment systems. *Implant Dent* 2008;17:74-81

Krennmair G, Krainhöfner M, Piehslinger E.

The influence of bar design (round versus milled bar) on prosthodontic maintenance of mandibular overdentures supported by 4 implants: a 5-year prospective study. *Int J Prosthodont* 2008;21:514-20

Krennmair G, Krainhöfner M, Weinländer M, Piehslinger E.

Provisional implants for immediate restoration partially edentulous jaws: a clinical study. *Int J Oral Maxillofac Implants* 2008;23:717-25

Nelson K, Heberer S, Glatzer C.

Survival analysis and clinical evaluation of implant-retained prostheses in oral cancer resection patients over a mean follow-up period of 10 years. *J Prosthet Dent* 2007;98:405-10

Özkan Y, Ozcan M, Akoğlu B, Uçankale M, Kulak-Özkan Y.

Three-year treatment outcomes with three brands of implants placed in the posterior maxilla and mandible of partially edentulous patients. *J Prosthet Dent* 2007;97:78-84

Rabel A, Köhler SG, Schmidt-Westhausen AM.

Clinical study on the primary stability of two dental implant systems with resonance frequency analysis. *Clin Oral Invest* 2007;11(3):257-65

Schwarz F, Herten M, Sager M, Bieling K, Sculean A, Becker J.

Comparison of naturally occurring and ligature-induced peri-implantitis bone defects in humans and dogs. *Clin Oral Impl Res* 2007;18:161-70

Strietzel FP, Reichart PA.

Oral rehabilitation using Camlog® screw-cylinder implants with a particle-blasted and acid-etched microstructured surface. *Clin Oral Impl Res* 2007;18:591-600

Strietzel FP, Reichart PA, Graf HL.

Lateral alveolar ridge augmentation using a synthetic nano-crystalline hydroxyapatite bone substitution material (Ostim®): preliminary clinical and histological results. *Clin Oral Impl Res* 2007;18:743-51

Stübinger S, Nuss K, Landes C, von Rechenberg B, Sader R.

Harvesting of intraoral autogenous block grafts from the chin and ramus region: preliminary results with a variable square pulse Er:YAG laser. *Laser in surgery and medicine* 2008;40:312-8

2006–2005

Ersanli S, Karabuda C, Beck F, Leblebicioglu B.

Resonance frequency analysis of one-stage dental implant stability during the osseointegration period. *J Periodontol* 2005;76:1066-71

Finotti M.

Impianti post-estrattivi immediati a carico immediato. *Quintessenza Internazionale* 2005;6:37-52

Heberer S, Nelson K.

Modified treatment procedure for prosthetic rehabilitation of tumor patients. *EAO Zurich* September 2006

Krennmair G, Weinländer M, Krainhofner M, Piehslinger E.

Implant-supported mandibular overdentures retained with ball or telescopic crown attachments: a 3-year prospective study. *Int J Prosthodont* 2006;19:164-70

Krennmair G, Weinländer M, Krainhöfner M, Piehslinger E.

Implantatgetragene Deckprothesen im Unterkiefer auf Kugelgeschoben oder Teleskopkronen – Eine prospektive Dreijahresstudie. *Implantologie* 2006;14:235-43

Nelson K, Özyuvaci H, Bilgic B, Klein M, Hildebrand D.

Histomorphometric evaluation and clinical assessment of endosseous implants in iliac bone grafts with shortened healing periods. *Int J Oral Maxillofac Implants* 2006;21:392-8

Rabel A, Köhler SG.

Mikrobiologische Untersuchung zur Ermittlung des Erfolges der Sofortimplantation im parodontal geschädigten Gebiss. *Mund Kiefer Gesichtschir* 2006;10:7-13

Salina S, Ennas M, Colombo A, Bernazzani F, Maiorana C.

Nuovi impianti postestrattivi immediati e carico precoce: studio preliminare. Immediate implant placement into fresh sockets and early loading: preliminary study. *European Journal of Implant Prosthodontics* 2005;1:25-34

Schwarz F, Bieling K, Bonsmann M, Latz T, Becker J.

Nonsurgical treatment of moderate and advanced periimplantitis lesions: a controlled clinical study. *Clin Oral Invest* 2006;10:279-88

LONG-TERM RESULTS, RETROSPECTIVE DATA

2015 – 2016

Ulrici S, Barth T, Klenke J, Wolf M.

Retrospektive Analyse von Patientenfällen mit iSy Implantaten in drei Zahnarztpraxen: Ein-Jahres Daten. Retrospective analysis of cases treated with iSy implants in three dental practices: one-year follow-up. *Z Zahnärztl Impl* 2015;31(4):282-94

2014 – 2013

Hartmann A, Seiler M, Oeschey P, Dreyling M, Heinig N, Buerer F.

Evaluation der Ästhetik durch unterschiedliche Fachdisziplinen mittels Pink Esthetic Score. *Implantologie* 2013;21(3):321–8

Krennmair G, Seemann R, Weinländer M, Krennmair S, Piehslinger E.

Clinical outcome and peri-implant findings of four-implant-supported distal cantilevered fixed mandibular prostheses: five-year results. *Int J Oral Maxillofac Implants* 2013;28:831-40

Sakkas A, Winter C, Wilde F, Schramm A.

Retromolar bone grafts prior to implant placement outcomes and complications – part 1. *Implants* 2013;3:6-12

2012–2011

Al-Nawas B, Kämmerer PW, Morbach T, Ophoven F, Wagner W.

Retrospective clinical evaluation of an internal tube-in tube dental im-plant after 4 years, with special emphasis on peri-implant bone resorption. *Int J Oral Maxillofac Implants* 2011;26:1309-16

Cacaci C, Hänssler F.

Einzelimplantatkronen im augmentierten Sinusmaxillaris. Eine Untersuchung über bis zu 8 Jahren. *Implantologie* 2012;20(3):327-33

Draenert FG, Sagheb K, Baumgardt K, Kämmerer PW.

Retrospective analysis of survival rates and marginal bone loss on short implants in the mandible. *Clin Oral Impl Res* 2012;23:1063-9

Dürholt M, Weinhold DT, Dax S, Schulz S.

Vergleich lateraler Augmentationstechniken. Comparison of lateral augmentation techniques. *Z Zahnärztl Impl* 2011;27(3):251-60

Franchini I, Capelli M, Fumagalli L, Parenti A, Testori T.

Multicenter retrospective analysis of 201 consecutively placed Camlog dental implants. *Int J Periodontics Restorative Dent* 2011;31:255-63

Keweloh M, Hennies O.

Die Socket- und Ridge-Preservation zur Verbesserung des Implantatalters. Eine Fallserie. *Implantologie* 2011;19(3):301-10

Krennmair G, Seemann R, Weinländer M, Wegscheider W, Piehslinger E.

Implant-prosthetic rehabilitation of anterior partial edentulism: a clinical review. *Int J Oral Maxillofac Implants* 2011;26:1043-50

Özkan Y, Akoğlu B, Kulak-Özkan Y.

Five-year treatment outcomes with four types of implants in the posterior maxilla and mandible in partially edentulous patients: a retrospective study. *Int J Oral Maxillofac Implants* 2011;26:639-47

Pietruski JK, Pietruska MD, Sajewicz E.

Long-term follow-up of conical crown-retained dentures fabricated using different technologies. *Int J Periodontics Restorative Dent* 2012;32:467-75

Scheiderbauer GC.

Hydrodynamischer Sinuslift mit Augmentation and Implantation – Clinical application of piezo-surgical hydrodynamic sinus lift procedures in combination with augmentation and implantation. *Z Zahnärztl Impl* 2012;28(4):314-24

Siebers D, Gehrke P, Schliephake H.

Sofortfunktion in der zahnärztlichen Praxis. Immediate function in a dental practice. *Z Zahnärztl Impl* 2011;27(3):220-39

Xiang L, Hu X, Mehrhof J, Nelson K.

Klinische Evaluation von bedingt abnehmbaren Brücken im zahnlosen Kiefer: Fünfjahresergebnisse. *Quintessenz Zahntech* 2011;37(7):906-12

2010–2009

Ackermann KL.

Extraction site management using a natural bone mineral containing collagen: rationale and retrospective case study. *Int J Periodontics Restorative Dent* 2009;29:489-97

De Lange GL, Randelzhofer P, Sipos P, de Bruin M, Both CJ.

Survival and risks of immediate placed anterior implants Poster 19th Annual Scientific Meeting EAO Glasgow, October 6-9, 2010

Krennmair G, Piehslinger E.

Removable implant-supported maxillary prostheses anchored on milled bars: a retrospective evaluation of two concepts. *Int J Prosthodont* 2009;22:576-8

Krennmair G, Seemann R, Piehslinger E.

Dental implants in patients with rheumatoid arthritis: clinical outcome and peri-implant findings. *J Clin Periodontol* 2010;37:928-36

Krennmair G, Seemann R, Schmidinger S, Ewers R, Piehslinger E.

Clinical outcome of root-shaped dental implants of various diameters: 5-year results. *Int J Oral Maxillofac Implants* 2010;25:357-66

Lixin H, Hu X, Mehrhof J, Nelson K.

Clinical evaluation of a fixed (retrievable) implant-supported prosthesis in the edentulous jaw: a 5-year report. *Quintessence Int* 2010;41:277-83

Ricken L, Vogel S.

Überlebensrate sofort belasteter Implantate, Survival of immediately loaded implants. *Z Zahnärztl Imp.* 2010;26(3):269-76

Semper W, Heberer S, Nelson K.

Retrospective analysis of bar-retained dentures with cantilever extension: marginal bone level changes around dental implants over time. *Int J Oral Maxillofac Implants* 2010;25:385-93

Semper W, Heberer S, Nelson K.

Carico precoce su impianti a forma radicolare e conici con superficie mordenzata e sabbiata. Follow up clinico a 6 anni. *Implant tribune* 2009;3(2):16-8

Siebers D, Gehrke P, Schliephake H.

Immediate versus delayed function of dental implants: a 1- to 7-year follow-up study of 222 implants. *Int J Oral Maxillofac Implants* 2010;25:1195-202

Tesch J, Tesch P, Lysek DA.

Long-term results after lateral and osteotome technique sinus floor elevation: a retrospective analysis of 2190 implants over a time period of 15 years. *Clin Oral Impl Res* 2010;21:497-503

Weinländer M, Krennmair G, Piehslinger E.

Implant prosthodontic rehabilitation of patients with rheumatic disorders: a case series report. *Int J Prosthodont* 2010;23:22-8

Zafiroopoulos GG, Deli G, Bartee BK, Hoffmann O.

Single-tooth implant placement and loading in fresh and regenerated extraction sockets. 5 year results. a case series using two different implant designs. *J Periodontol* 2010;81:604-15

2008–2007

Bochdam KU, Benner KU, Holland-Letz T, Hölze F, Willer J.

Klinische Nachuntersuchung von implantatgestützten Vollprothesen im zahnlosen und restbezahnten Kiefer - ein Vergleich zwischen Teleskopprothesen und den etablierten Stegprothesen. *Stomatologie* 2008;105:141-9

Heberer S, Hohl M, Semper W, Willer J, Nelson K.

Rehabilitation von Patienten mit extrem atrophierten Kiefern mittels Implantatinserktion nach Augmentation von autologem Beckenkammknochen. Eine bis zu dreizehnjährige retrospektive klinische Studie. *Stomatologie* 2008;105:57-62

Krennmair G, Krainhöfner M, Piehslinger E.

Retrospektive Vergleichstudie zu implantatgetragenen Oberkieferdeckprothesen auf gefrästen Stegen. Frontaler Extensionssteg oder Seitenstege. *Implantologie* 2008;16(3):287-98

Krennmair G, Krainhöfner M, Piehslinger E.

Implant-supported maxillary overdentures retained with milled bars: maxillary anterior versus maxillary posterior concept – a retrospective study. *Int J Oral Maxillofac Implants* 2008;23:343-52

Krennmair G, Krainhöfner M, Piehslinger E.

Implant-supported mandibular overdentures retained with a milled bar: a retrospective study. *Int J Oral Maxillofac Implants* 2007;22:987-94

Krennmair G, Krainhöfner M, Schmid-Schwab M, Piehslinger E.

Maxillary sinus lift for single implant-supported restorations: a clinical study. *Int J Oral Maxillofac Implants* 2007;22:351-8

Krennmair G, Krainhöfner M, Waldenberger O, Piehslinger E.

Dental implants as strategic supplementary abutments for implant-tooth-supported telescopic crown-retained maxillary dentures: a retrospective follow-up study for up to 9 years. *Int J Prosthodont* 2007;20:617-22

Nelson K, Semper W, Hildebrand D, Özyuvaci H.

A retrospective analysis of sandblasted, acid-etched implants with reduced healing times with an observation period of up to 5 years. *Int J Oral Maxillofac Implants* 2008;23:726-32

Semper W, Heberer S, Nelson K.

Early loading of root form and conical implants with a sandblasted large-grit acid-etched surface: a 6-year clinical follow-up. *Implants* 2008;2:14-9

Semper W, Hildebrand D, Özyuvaci H, Nelson K.

Erfolgsrate von Implantaten mit sandgestrahlter und geätzter Oberfläche im Oberkiefer nach einer Einheilzeit von zwölf Wochen: eine retrospektive Analyse. Success rate of sandblasted and acid-etched maxillary implants after a healing period of twelve weeks: a retrospective analysis. *Z Zahnärztl Impl* 2007;23(3):176-85

2006 – 2004**Di P, Lin Y, Li JH, Qiu LX, Chen B, Wang X.**

Clinical application of implant supported magnet-retained overdenture [Article in Chinese]. *Zhonghua Kou Qiang Yi Xue Za Zhi* 2006;41:193-5

Hu XL, Cui HY, Wang T, Li JH, Qui LX, Lin Y.

Application of implant-supported telescopic overdenture in edentulous cases [Article in Chinese]. *Zhonghua Kou Qiang Yi Xue Za Zhi* 2006;41:391-4

Lin Y, Li JH, Qiu LX, Di P, Hu XL, Wang X.

A clinical retrospective study of 10 years implant results [Article in Chinese]. *Zhonghua Kou Qiang Yi Xue Za Zhi* 2006;41:131-5

Morbach TH, Ophoven F, Al-Nawas B, Wagner W.

Vier Jahre Erfahrung mit dem CAMLOG Implantat. DGI Kongress Dresden Dezember 2006

Nelson K, Melerski MI, Agariguchi A, Hildebrand D.

Retrospektive klinische Studie von implantatgetragenen Galvano-Steg-Prothesen. *Deutsche Zahnärztliche Zeitschrift* 2006;61:32-7

Yerit KC, Posch M, Hainich S, Turhani D, Klug C, Wanschitz F, Wagner A, Watzinger F, Ewers R.

Long-term implant survival in the grafted maxilla: results of a 12-year retrospective study. *Clin Oral Implants Res* 2004;15:693-9

ANIMAL STUDIES**2015 – 2016****Schwarz F, Mihatovic I, Golubovich V, Schär A, Sager M, Becker J.**

Impact of abutment microstructure and insertion depth on crestal bone changes at nonsubmerged titanium implants with platform switch. *Clin Oral Impl Res* 2015;26:287-92

2014 – 2013**Mehl C, Becker ST, Acil Y, Harder S, Wiltfang J, Dabbagh-Afrouz AA, de Buhr W, Kern M.**

Impact of vertical loading on the implant-bone interface. *Clin Oral Impl Res* 2013;24:949-56

Schwarz F, Mihatovic I, Shirakata Y, Becker J, Bosshardt D, Sculean A.

Treatment of soft tissue recessions at titanium implants using a resorbable collagen matrix: a pilot study. *Clin Oral Impl Res* 2014;25:110-5

Wang D, Künzel A, Golubovich V, Mihatovic I, John G, Chen Z, Becker J, Schwarz F.

Accuracy of peri-implant bone thickness and validity of assessing bone augmentation material using cone beam computed tomography. *Clin Oral Investig* 2013;17:1601-9

2012 – 2011**Becker K, Mihatovic I, Golubovich V, Schwarz F.**

Impact of abutment material and dis/re-connection on soft and hard tissue changes at implants with platform-switching. *J Clin Periodontol* 2012;39:774-80

Schwarz F, Sahn N, Mihatovic I, Golubovich V, Becker J.

Surgical therapy of advanced ligature-induced peri-implantitis defects: cone-beam computed tomographic and histological analysis. *J Clin Periodontol* 2011;38:939-49

2010 – 2009**Becker J, Ferrari D, Mihatovic I, Sahn N, Schär A, Schwarz F.**

Stability of crestal bone level at platform switched non-submerged titanium implants. a histomorphometrical study in dogs. *J Clin Periodontol* 2009;36:532-9

Benlidayi ME, Kürkcü M, Öz IA, Sertdemir Y.

Comparison of two different forms of bovine-derived hydroxyapatite in sinus augmentation and simultaneous implant placement: an experimental study. *Int J Oral Maxillofac Implants* 2009;24:704-11

Stübinger S, Biermeier K, Bächli B, Ferguson SJ, Sader R, von Rechenberg B.

Comparison of Er:YAG laser, piezoelectric, and drill osteotomy for dental implant site preparation: a biomechanical and histological analysis in sheep. *Lasers Surg Med* 2010;42:652-61

2008 – 2007**Becker J, Ferrari D, Herten M, Kirsch A, Schär A, Schwarz F.**

Influence of platform switching on crestal bone changes at non-submerged titanium implants: a histomorphometrical study in dogs. *J Clin Periodontol* 2007;34:1089-96

Schwarz F, Herten M, Bieling K, Becker J.

Crestal bone changes at nonsubmerged implants (Camlog) with different machined collar lengths: a histomorphometric pilot study in dogs. *Int J Oral Maxillofac Implants* 2008;23:335-42

Schwarz F, Herten M, Sager M, Bieling K, Sculean A, Becker J.

Comparison of naturally occurring and ligature-induced peri-implantitis bone defects in humans and dogs. *Clin Oral Implants Res* 2007;18:161-70

Schwarz F, Olivier W, Herten M, Sager M, Chaker A, Becker J.

Influence of implant bed preparation using an Er:YAG laser on the osseointegration of titanium implants: a histomorphometrical study in dogs. *J Oral Rehabil* 2007;34:273-81

2006**Becker J, Kirsch A, Schwarz F, Chatzinikolaidou M, Rothamel D, Lekovic V, Jennissen HP.**

Bone apposition to titanium implants biocoated with recombinant human bone morphogenetic protein-2 (rhBMP-2). A pilot study in dogs. *Clin Oral Investig* 2006;10:217-224

Becker J, Schwarz F, Kirsch A.

Improvement of marginal bone adaptation through the new Promote® plus design. *CAMLOG News* 2006;1:2-3

IN-VITRO STUDIES**2015 – 2016****Kernen F, Benic GI, Payer M, Schär A, Müller-Gerbl M, Filippi A, Kühl S.**

Accuracy of three dimensional printed templates for guided implant placement based on matching a surface scan with CBCT. *Clin Implant Dent Relat Res* 2015 doi:10.1111/cid.12348

Semper Hogg W, Zulauf K, Mehrhof J, Nelson K.

Influence of torque tightening on the position stability of the abutment in conical implant-abutment connection. *Int J Prosthodont* 2015;28:538-41

2014–2013

Happe A, Nadenau E, Röling N, Neugebauer J, Nickenig HJ, Rothamel D.

Abutmentdesign Makro- Mikro- und Nanoaspekte. *Implantologie* 2013;21(4):367-73

Mehl C, Harder S, Steiner M, Vollrath O, Kern M.

Influence of cement film thickness on the retention of implant-retained crowns. *J Prosthodont* 2013; 22:618-25

Nelson K, Zabler S, Wiest W, Schmelzeisen R, Semper-Hogg W.

Die Implantat-Abutment-Verbindung. *Implantologie* 2013;21:355-63

Semper-Hogg W, Kraft S, Stiller S, Mehrhof J, Nelson K.

Analytical and experimental position stability of the abutment in different dental implant systems with a conical implant-abutment connection. *Clin Oral Investig* 2013 Apr;17(3):1017-23

Stimmelmayer M, Stangl M, Güth JF, Edelhoff D, Erdelt K, Beuer F.

Die Abformung von Implantaten im zahnlosen Kiefer. *BZB* 2013;9:54-7

2012–2011

Dittmer S, Dittmer MP, Kohorst P, Jendras M, Borchers L, Stiesch M.

Effect of implant-abutment connection design on load bearing capacity and failure mode of implants. *J Prosthodontics* 2011;20:510-6

Harder S, Quabius ES, Ossenkop L, Kern M.

Assessment of lipopolysaccharide microleakage at conical implant-abutment connections. *Clin Oral Investig* 2012;16(5):1377-84

Mehl C, Harder S, Schwarz D, Steiner M, Vollrath O, Kern M.

In vitro influence of ultrasonic stress, removal force preload and thermocycling on the retrievability of implant-retained crowns. *Clin Oral Impl Res* 2012;23:930-7

Mehl C, Harder S, Shahriari A, Steiner M, Kern M.

Influence of abutment height and thermocycling on retrievability of cemented implant-supported crowns. *Int J Oral Maxillofac Implants* 2012;27:1106-15

Rupp F, Scheideler L, Eichler M, Geis-Gerstorfer J.

Wetting behavior of dental implants. *Int J Oral Maxillofac Implants* 2011;26:1256-66

Semper W, Stiller S, Mehrhof J, Schmelzeisen R, Nelson K.

Position accuracy of re-positioned abutments in implant systems with a tapered implant-abutment connection, Poster, 4th International Conference ADT Freiburg, May 5-8, 2011

Simeone P, Valentini PP, Pizzoferrato R, Scudieri F.

Dimensional accuracy of pickup implant impression: an in vitro comparison of novel modular versus standard custom trays. *Int J Oral Maxillofac Implants* 2011;26:538-46

Stimmelmayer M, Edelhoff D, Güth JF, Erdelt K, Happe A, Beuer F.

Wear at the titanium-titanium and the titanium-zirconia implant-abutment interface: a comparative in vitro study. *Dental Materials* 2012;28:1215-20

Stimmelmayer M, Erdelt K, Güth JF, Happe A, Beuer F.

Evaluation of impression accuracy for a four-implant mandibular model – a digital approach. *Clin Oral Invest* 2012;16(4):1137-42

Stimmelmayer M, Güth JF, Erdelt K, Edelhoff D, Beuer F.

Digital evaluation of the reproducibility of implant scanbody fit – an in vitro study. *Clin Oral Invest* 2012;16(3):851-6

2010–2009

Kim SG, Park JU, Jeong JH, Bae C, Bae TS, Chee W.

In vitro evaluation of reverse torque value of abutment screw and marginal opening in a screw- and cement-retained implant fixed partial denture design. *Int J Oral Maxillofac Implants* 2009;24:1061-7

Semper W, Heberer S, Mehrhof J, Schink T, Nelson K.

Effects of repeated manual disassembly and reassembly on the positional

stability of various implant-abutment complexes: an experimental study. *Int J Oral Maxillofac Implants* 2010;25:86-94

Semper W, Kraft S, Krüger T, Nelson K.

Theoretical optimum of implant positional index design. *J Dent Res* 2009;88(8):731-5

Semper W, Kraft S, Krüger T, Nelson K.

Theoretical considerations: Implant positional index design. *J Dent Res* 2009;88(8):725-30

Semper W, Kraft S, Mehrhof J, Nelson K.

Impact of abutment rotation and angulation on marginal fit: theoretical considerations. *Int J Oral Maxillofac Implants* 2010;25:752-8

Ungvári K, Pelsöczy IK, Kormos B, Oszkó A, Rakonczay Z, Kemény L, Radnai M, Nagy K, Fazekas A, Turzó K.

Effect on titanium implant surfaces of chemical agents used for the treatment of peri-implantitis. *J Biomed Mater Res Part B: Appl Biomater* 94B 222-9, 2010

2008–2007

Ebert A, Hedderich J, Kern M.

Retention of zirconia ceramic copings bonded to titanium abutments. *Int J Oral Maxillofac Implants* 2007;22:921-7

Edinger D, Kahler E, Hilgers R.

Untersuchung der Rotationspassgenauigkeit. *BDIZ EDI Konkret* 2007;2:68-71

Mehl C, Harder S, Wolfart M, Kern M, Wolfart S.

Retrievability of implant-retained crowns following cementation. *Clin Oral Impl Res* 2008;19:1304-11

Neugebauer J, Lingohr T, Karapetian VE, Shihadeh R, Zöllner JE.

Accuracy of manual torque-limiting devices for use in oral implantology. *EDI Journal* 2008;4:48-52

Neugebauer J, Lingohr T, Karapetian VE, Shihadeh R, Zöllner JE.

Vergleich der Drehmomentgenauigkeit von implantologischen Handratschen. *BDIZ EDI Konkret* 2008;03:84-8

Reinert M, Geis-Gerstorfer J.

Vergleichende Untersuchung zur Passgenauigkeit von prothetisch-zahn-technischen Komponenten verschiedener Implantatsysteme. *Deutsche Zahnärztliche Zeitschrift* 2007;62(10):668-74

Steinebrunner L, Wolfart S, Ludwig K, Kern M.

Implant-abutment interface design affects fatigue and fracture strength of implants. *Clin Oral Impl Res* 2008;19:1276-84

Wolfart M, Wolfart S, Kern M.

Retention und Randschluss implantatgetragener Kronen nach Zementierung. *Implantologie* 2007;15(3):285-94

2006–2005

Sakoh J, Wahlmann U, Stender E, Al-Nawas B, Wagner W.

Primary stability of a conical implant and a hybrid, cylindrical screw-type implant in vitro. *Int J Oral Maxillofac Implants* 2006;21:560-6

Steinebrunner L, Wolfart S, Bössmann K, Kern M.

In vitro evaluation of bacterial leakage along the implant-abutment interface of different implant systems. *Int J Oral Maxillofac Implants* 2005;20:875-81

Steinebrunner L, Bössmann K, Kern M.

Implantat-Abutment-Verbindungen – Präklinische Testmethoden. *Implantologie* 2005;13:145-60

Wolfart M, Wolfart S, Kern M.

Retention forces and seating discrepancies of implant-retained castings after cementation. *Int J Oral Maxillofac Implants* 2006;21:519-25

SUBSIDIARIES/ DISTRIBUTORS:

Germany:

CAMLOG Vertriebs GmbH
Maybachstr. 5
71299 Wimsheim
Germany
Tel: +49 (0) 70 44/94 45-0
Fax: +49 (0) 70 44/94 45-722
E-Mail: info.de@camlog.com
Website: www.camlog.de

Switzerland:

CAMLOG Schweiz AG
Margarethenstrasse 38
CH-4053 Basel
Switzerland
Tel: +41 (0) 61/565 41 41
Fax: +41 (0) 61/565 41 42
E-Mail: vertrieb@camlog.ch
Website: www.camlog.com

Austria:

ALLTEC Dental-GmbH
Schwefel 93
6850 Dornbirn
Austria
Tel: +43 (0) 5572-372341
Fax: +43 (0) 5572-372341-404
E-Mail: info@alltecdental.at
Website: www.alltecdental.at

Canada:

CAMLOG Canada
345 Townline Road,
Niagara-on-the-Lake, Ontario L0S 1J0
Canada
Tel: +1 800 668 5558
Fax: +1 905 832 7254
E-Mail: camlog@henryschein.com
Website: www.camlogus.com

Czech Republic/Slovakia:

B.S. Dental s.r.o.
Krizikova 185/35
18600 Prague 8
Czech Republik
Tel: +42 (0) 724122988
E-Mail: bsdental@volny.cz
Website: www.bsdental.cz

Denmark:

EltiDent ApS
Hundige Strandvej 178
2670 Greve
Denmark
Tel: +45 70 27 17 47
E-Mail: info@eltident.com
Website: www.eltident.com

Finland:

Implantona Oy
Asentajankatu 6 B-talo
00880 Helsinki
Finland
Tel: +358 9 530 6730
Fax: +358 9 530 67310
E-Mail: tilaukset@implantona.fi
Website: www.implantona.fi

France:

Henry Schein Implantologie
Immeuble Activille
4, rue de Charenton
94140 Alfortville
France
Tel: +33 (0) 1 41 79 74 97
Fax: +33 (0) 1 41 79 65 76

Hungary:

Logintech Magyarország Kft.
Fő fasor 16-20
6726 Szeged
Hungary
Tel: +36 (62) 424-379
Fax: +36 (62) 424-378
E-Mail: logintech@logintech.hu
Website: www.logintech.hu

Italy:

Henry Schein Krugg S.r.l.
Via Dei Lavoratori, 7
20092 Buccinasco (Mi)
Italy
Tel: +39 800 166522
E-Mail: camlogitalia@henryschein.it
Website: www.henryschein.it

Japan:

Alta-Dent Corporation
8-31, 2 chome
Shibata, kita-ku
Osaka City, 530-0012 Osaka
Japan
Tel: +81 6 6377 2221
Fax: +81 6 6377 2223
E-Mail: info@alta-dent.com
Website: www.alta-dent.com

Netherlands:

Pro-Cam Implants B.V.
Postbus 63
3440 AD Woerden
Vijzelmolenlaan 1
3447 GX Woerden
Netherlands
Tel: +31 (0) 348-820010
Fax: +31 (0) 348-820011
E-Mail: info@pro-cam.nl
Website: www.pro-cam.nl

Poland:

FM Dental
FM Produkty Dla Stomatologii
W.Fec, B.Fec Sp.Jawna
ul. J.Conrada 51
31-357 Kraków
Poland
Tel: +48 (0) 12 423 49 21
Fax: +48 (0) 12 423 49 13
E-Mail: biuro@fmdental.pl
Website: www.fmdental.pl

Saudi Arabia:

Abdulrehman Algosaibi General Trading
Company
Algosaibi Building
King Abdulaiz Road
P.O. Box 215
Riyadh 11411
Saudi Arabia
Tel: +966 11 2924219 ext: 201
Fax: +966 11 2924219 ext: 204
E-Mail: dental@aralgosaibico.com
Website: www.aralgosaibico.com

Singapore:

Implantate Pte Ltd
Blk 302 Ang Mo Kio Ave 3
#01-1836
Singapore 560302
Tel: +65-96215563
E-Mail: implantate@outlook.sg

South Korea:

A&K Enterprise
Suite #624, Dongmoon Tower 2
1324 Baekseok-dong, Ilsan donk-ku
Goyang city, Kyonggi-do
South Korea
Tel: +82-31-906-5734
Fax: +82-31-906-5738
E-Mail: hwkim@anke.kr
Website: www.camlog.co.kr

Spain/Portugal:

CAMLOG Med. SA
C/Perú, 6
E-28290 Las Matas (Madrid)
Spain
Tel: +34 91 456 08 72
Fax: +34 91 456 08 73
E-Mail: info@camlogmed.es
Website: www.camlog.com

Taiwan R.O.C.:

KAILOTEG GmbH & Co. KG
1F, No. 86, Sec3, Zhon-Shia E. Rd
Taipei
Taiwan R.O.C.
Tel: +886 (2) 275245-23
Fax: +886 (2) 274021-42
E-Mail: kailoteg@yahoo.com.tw

Thailand:

ACCORD Corporation Limited
33/2-8 Soi Rongmuang 4
Rongmuang
Patumwan
Bangkok 10330
Thailand
Tel: +66 2-613-8081-90
Fax: +66 2-613-6627
E-mail: sales@accordental.com
Website: www.accordental.com

Turkey:

CORE Medikal A.S.
Zeytinoglu cad. Tam Apt. No44/4
Akatlar
34335 Istanbul
Turkey
Tel: +90 (212) 3528217
Fax: +90 (212) 3528219
E-Mail: info@coremedikal.com
Website: www.coremedikal.com

United Kingdom:

Pro Cam Implants Ltd
Monument House
215 Marsh Road
Pinner, Middlesex HA5 5NE
United Kingdom
Tel: +44 20 35145878
Fax: +44 20 35145895
E-mail: info@camlog.co.uk
sales@camlog.co.uk

USA:

CAMLOG USA
1822 Aston Ave.
Carlsbad, CA 92008
USA
Tel: +1 760 918 1857
Fax: +1 760 918 1855
E-Mail: camlog@henryschein.com
Website: www.camlogus.com

HEADQUARTERS:

CAMLOG Biotechnologies AG
Margarethenstrasse 38
CH-4053 Basel
Switzerland
Tel: +41 (0) 61/565 41 00
Fax: +41 (0) 61/565 41 01
E-Mail: info@camlog.com
Website: www.camlog.com

HEADQUARTERS

CAMLOG Biotechnologies AG | Margarethenstrasse 38 | CH-4053 Basel
info@camlog.com | www.camlog.com

camlog